DEAD SEA WORKS 170

Potash House - P.O. Box 75 - Beer Shove 84100, Israel Tel. (972-7) 646-5347 - Fax (972-7) 628-0533 E-mail: chemarket@dsw.co.il





9/1236

January 2000

Magnesium Chloride Pellets

SPECIFICATION AND SAFETY DATA SHEET

1. GENERAL:

Company:

Dead Sea Works, Ltd

P.O. Box 75

Beer-Sheva, Israel 84100

Trade Name:

Magnesium Chloride Pellets

Formula:

MgCk 6H20

Chemical Family:

Inorganic Salt

Chemical Composition:

Magnesium Chloride (MgCl)
Calcium Chloride (CaCl)
Sodium Chloride (NaCl)
Potassium Chloride (KCl)
Water (H2O)
Additives:

Range 46.5 - 47.5 % 2.0 - 2.2 % 0.5 - 0.8 % 0.2 - 0.5 % Balance to 100 %

Physical Data:

Boiling Point
Melting Point
Specific Gravity
Vapour Density
Vapour Pressure
Flash Point
Explosive Limits
Autoignition Temperature
Solubility

160°C 118°C 1.6 at 25° C N/A N/A N/A N/A N/A N/A

None

Very hygroscopic, Soluble in alcohol.

DEAD SEA WORKS 170

Potash House - P.O. Box 75 - Beer Sheva 84100, Israel Tel. (972-7) 646-5347 - Fax (972-7) 628-0533 E-mail: chemarket@dsw.co.il



Marketing Division Chemical Products

Translucent off Appearance: white, Pellets.

2. Fire and Explosion Hazard Data:

Flash Point NA Flammable Limits N/A Extinguishing Media N/A Special Fire Fighting Procedures None. Product can be used to smother fires.

None

Unusual Fire and Explosion Hazards

3. Health Hazard Data:

Threshold Limit Value: No specific TLV has been established. Nuisance Particulates TLV: No specific TLV has been established Effects of overexposure: Avoid contact with eyes. Emergency and First aid Procedures: Eyes-immediately flush with water. Skin-wash with soap and water.

4 Reactivity Data:

Stability: Stable Conditions to avoid: None Incompatibility (Material to avoid): None Hazardous Decomposition Products: None Hazardous Polymerization: Will not occur Conditions to avoid: None

Spill or Leak Procedures: 5.

Steps to be taken in case Material is Released or Spilled:

Shovel or sweep up and place in waste disposal container. Flush area with water. spills (i.e. derailments) may be loaded into trucks with front-end loader. Uncontaminated material may be recycled. If exposed to humid air, material will dissolve. The brine should be flushed with water to drainage.

Waste disposal Method:

Disposal must be made in accordance with local regulations.

DEAD SEA WORKS 170

Potash House - P.O. Box 75 - Boer Shova 84100, Israel Tel. (972-7) 646-5347 - Fax (972-7) 628-0533 E-mail: chemarket@dsw.co.il



Marketing Division Chemical Products

6. Special Protection Information:

Respiratory Protection:

Ventilation:

Protective Gloves:

Eye Protection:

Other protective equipment:

For dusty conditions, particulate filtering

disposable mask is adequate.

None

Required

Safety glasses are required

Not required.

7. Special Precautions:

Precautions to be taken in handling and storing:

When removing Dead Sea Magnesium chloride from its packing, the product at first appears dry. Due to its hygroscopic nature, it readily takes on atmospheric moisture and softens rapidly. The bagged material should be kept closed in a dry atmosphere. When stored under suitable conditions, Dead Sea Magnesium Chloride will keep for an almost unlimited period.

8. Toxicological Data:

If handled according to instructions, no danger to humans.

9. Ecological Data:

Not available

Alan Becker

Chief Process Engineer Chemical Products Dead Sea Works Ltd.